



# G9 Surface Disinfectant

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 9/25/2024 Revision date: 5/15/2025 Supersedes version of: 3/11/2025 Version: 4.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : G9 Surface Disinfectant  
UFI : DA00-C0F3-300K-QRF2  
Product code : Bubblegum  
Type of product : Detergent, Biocidal products (e.g. Disinfectants, pest control)

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Main use category : Professional use  
Industrial/Professional use spec : For professional use only  
Use of the substance/mixture : Disinfectant  
Cleaning/washing agents and additives  
Function or use category : Cleaning/washing agents and additives

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

G9 Chemicals Ltd  
24 High Street  
Charing Ashford, Kent, TN27 0HX  
United Kingdom  
T +44 (0)1580 895141  
[info@g9chemicals.co.uk](mailto:info@g9chemicals.co.uk), [www.g9chemicals.co.uk](http://www.g9chemicals.co.uk)

##### EU

Yordas GmbH  
AuBere Nurnberger Strasse. 62  
91301 Forchheim  
Germany  
T +49(0)9191 9504233  
[info@yordasgroup.com](mailto:info@yordasgroup.com)

#### 1.4. Emergency telephone number

Emergency number : +44 (0)1580 895141

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1 H314  
Serious eye damage/eye irritation, Category 1 H318  
Hazardous to the aquatic environment – Chronic Hazard, Category 1 H410  
Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. Causes serious eye damage. Very toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



# G9 Surface Disinfectant

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

	GHS05	GHS09
Signal word (CLP)	: Danger	
Contains	: didecyldimethylammonium chloride; Alkyl (C12-C16) dimethylbenzylammonium chloride; N-(3-aminopropyl)-n-dodecylpropane-1, 3 diamine	
Hazard statements (CLP)	: H314 - Causes severe skin burns and eye damage. H410 - Very toxic to aquatic life with long lasting effects.	
Precautionary statements (CLP)	: P280 - Wear eye protection, protective clothing, protective gloves. P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a doctor. P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a doctor. P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor. P391 - Collect spillage.	
EUH-statements	: EUH208 - Contains CITRUS AURANTIUM DULCIS Perfume (8028-48-6), D-LIMONENE Limonene (5989-27-5). May produce an allergic reaction.	

### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	Alkyl (C12-C16) dimethylbenzylammonium chloride (68424-85-1)

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alkyl (C12-C16) dimethylbenzylammonium chloride (Active substance (Biocide))	CAS-No.: 68424-85-1 EC-No.: 939-253-5	$\geq 5 - < 15$	Acute Tox. 4 (Oral), H302 (ATE=795 mg/kg bodyweight) STOT RE 2, H373 Aquatic Acute 1, H400 (M=10)
N-(3-aminopropyl)-n-dodecylpropane-1, 3 diamine	CAS-No.: 2372-82-9 EC-No.: 219-145-8	$\geq 1 - < 5$	Acute Tox. 4 (Oral), H302 (ATE=261 mg/kg bodyweight) Acute Tox. 3 (Dermal), H311 (ATE=300 mg/kg bodyweight) Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT RE 2, H373 Aquatic Acute 1, H400 (M=10)
didecyldimethylammonium chloride	CAS-No.: 7173-51-5 EC-No.: 230-525-2 EC Index-No.: 612-131-00-6	$\geq 1 - < 5$	Acute Tox. 4 (Oral), H302 (ATE=658 mg/kg bodyweight) Skin Corr. 1B, H314

# G9 Surface Disinfectant

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alcohols, C9-11, ethoxylated	CAS-No.: 68439-46-3 EC-No.: 614-482-0	≥ 1 – < 5	Aquatic Chronic 2, H411
Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate	CAS-No.: 51981-21-6 EC-No.: 257-573-7	≥ 1 – < 5	Aquatic Chronic 3, H412
CITRUS AURANTIUM DULCIS	CAS-No.: 8028-48-6 EC-No.: 232-433-8	≥ 0.1 – < 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
D-LIMONENE Limonene	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-096-00-2	≥ 0.1 – < 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
PROPAN-2-OL (Component) substance with national workplace exposure limit(s) (GB)	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0	≥ 0.1 – < 1	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

# G9 Surface Disinfectant

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Emergency procedures : Ventilate spillage area. Do not breathe fume, gas, mist, vapours, spray. Avoid contact with skin and eyes.

#### For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.  
Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Do not breathe fume, vapours. Avoid contact with skin and eyes. Wear personal protective equipment.  
Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Keep locked up and out of the reach of children.  
Incompatible products : Strong acids.  
Incompatible materials : Aluminium. Mild steel. Copper alloys.

### 7.3. Specific end use(s)

DISINFECTANT, LIQUID, CORROSIVE, N.O.S.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### National occupational exposure and biological limit values

PROPAN-2-OL (67-63-0)	
United Kingdom - Occupational Exposure Limits	
WEL STEL (OEL STEL)	1250 mg/m <sup>3</sup>
	500 ppm

# G9 Surface Disinfectant

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Alkyl (C12-C16) dimethylbenzylammonium chloride (68424-85-1)

#### United Kingdom - Occupational Exposure Limits

Local name	Benzalkonium Chloride
------------	-----------------------

## 8.2. Exposure controls

### Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

### Personal protection equipment

#### Personal protective equipment symbol(s):



### Eye and face protection

#### Eye protection:

Safety glasses

### Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves

### Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

### Thermal hazards

#### Thermal hazard protection:

Keep cool.

### Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Not available
Odour	: Not available
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Non flammable.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: > 10 – < 12
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available

# G9 Surface Disinfectant

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 1.08
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

Aluminium. Copper alloys. Mild steel.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Alcohols, C9-11, ethoxylated (68439-46-3)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 1.6 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
didecyldimethylammonium chloride (7173-51-5)	
LD50 oral	658 mg/kg
LD50 dermal rat	> 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))
LD50 dermal rabbit	≈ 3342 mg/kg bodyweight Animal: rabbit, Guideline: other:, 95% CL: 0 - 4292
LD50 dermal	> 5000 mg/kg
PROPAN-2-OL (67-63-0)	
LD50 oral rat	5840 mg/kg
LC50 Inhalation - Rat	37.5 mg/l 4h, male and female

# G9 Surface Disinfectant

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate (51981-21-6)</b>	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Procedure)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity), Guideline: other:
LC50 Inhalation - Rat	> 4.2 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
<b>Alkyl (C12-C16) dimethylbenzylammonium chloride (68424-85-1)</b>	
LD50 oral rat	795 mg/kg
LD50 dermal rabbit	3412.5 mg/kg bodyweight Animal: rabbit, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity)
<b>N-(3-aminopropyl)-n-dodecylpropane-1, 3 diamine (2372-82-9)</b>	
LD50 oral rat	261 mg/kg
LD50 dermal rat	> 600 mg/kg bodyweight Animal: rat, Guideline: EU Method B.3 (Acute Toxicity (Dermal))
<b>CITRUS AURANTIUM DULCIS (8028-48-6)</b>	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: other:
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Animal sex: female, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: other:
<b>D-LIMONENE Limonene (5989-27-5)</b>	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
Skin corrosion/irritation	: Causes severe skin burns. pH: > 10 – < 12
<b>PROPAN-2-OL (67-63-0)</b>	
pH	7 Neutral
<b>Alkyl (C12-C16) dimethylbenzylammonium chloride (68424-85-1)</b>	
pH	6 – 9
Serious eye damage/irritation	: Causes serious eye damage. pH: > 10 – < 12
<b>PROPAN-2-OL (67-63-0)</b>	
pH	7 Neutral
<b>Alkyl (C12-C16) dimethylbenzylammonium chloride (68424-85-1)</b>	
pH	6 – 9
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
<b>D-LIMONENE Limonene (5989-27-5)</b>	
NOAEL (animal/female, F0/P)	600 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:
STOT-single exposure	: Not classified
<b>PROPAN-2-OL (67-63-0)</b>	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified

# G9 Surface Disinfectant

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Alcohols, C9-11, ethoxylated (68439-46-3)	
NOAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)

Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate (51981-21-6)	
NOAEL (oral, rat, 90 days)	300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents), Guideline: other:

Alkyl (C12-C16) dimethylbenzylammonium chloride (68424-85-1)	
NOAEL (subchronic, oral, animal/male, 90 days)	50 mg/kg bodyweight Animal: dog, Animal sex: male, Guideline: OECD Guideline 409 (Repeated Dose 90-Day Oral Toxicity Study in Non-Rodents)
NOAEL (subchronic, oral, animal/female, 90 days)	45 mg/kg bodyweight Animal: dog, Animal sex: female, Guideline: OECD Guideline 409 (Repeated Dose 90-Day Oral Toxicity Study in Non-Rodents)
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

N-(3-aminopropyl)-n-dodecylpropane-1, 3 diamine (2372-82-9)	
LOAEL (dermal, rat/rabbit, 90 days)	5 mg/kg bodyweight Animal: rat, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days)
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

didecyldimethylammonium chloride (7173-51-5)	
Viscosity, kinematic	≈ 24.5 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'

Alkyl (C12-C16) dimethylbenzylammonium chloride (68424-85-1)	
Viscosity, kinematic	52 – 74 mm²/s At 40C

CITRUS AURANTIUM DULCIS (8028-48-6)	
Viscosity, kinematic	1.17 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.  
Hazardous to the aquatic environment, short-term (acute) : Not classified  
Hazardous to the aquatic environment, long-term (chronic) : Very toxic to aquatic life with long lasting effects.

Alcohols, C9-11, ethoxylated (68439-46-3)	
LC50 - Fish [1]	5 – 7 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	2.5 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	1.4 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)

didecyldimethylammonium chloride (7173-51-5)	
LC50 - Fish [1]	≈ 0.97 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)



# G9 Surface Disinfectant

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

didecyltrimethylammonium chloride (7173-51-5)	
LC50 - Fish [2]	≈ 0.49 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	≈ 0.057 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	≈ 0.029 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	≈ 0.062 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
LOEC (chronic)	≈ 0.047 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	≈ 0.021 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
PROPAN-2-OL (67-63-0)	
LC50 - Fish [1]	9640 mg/l fatheted minnow
EC50 - Crustacea [1]	13299 mg/l Daphnia magna
Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate (51981-21-6)	
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
LC50 - Fish [2]	> 95.26 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	> 95.26 mg/l Test organisms (species): Daphnia magna
LOEC (chronic)	> 265.7 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	224 mg/l Test organisms (species): other aquatic crustacea: Duration: '21 d'
Alkyl (C12-C16) dimethylbenzylammonium chloride (68424-85-1)	
LC50 - Fish [1]	0.515 mg/l Test organisms (species): Lepomis macrochirus
LC50 - Fish [2]	0.85 mg/l rainbow trout
EC50 - Crustacea [1]	0.016 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.02 mg/l
EC50 96h - Algae [2]	0.03 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
N-(3-aminopropyl)-n-dodecylpropane-1, 3 diamine (2372-82-9)	
LC50 - Fish [1]	0.431 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	0.0775 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	0.073 mg/l
EC50 72h - Algae [1]	0.02 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	0.012 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
LOEC (chronic)	0.066 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0.024 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
D-LIMONENE Limonene (5989-27-5)	
LC50 - Fish [1]	720 µg/l Test organisms (species): Pimephales promelas
LC50 - Fish [2]	702 µg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	0.307 mg/l Test organisms (species): Daphnia magna

# G9 Surface Disinfectant

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

D-LIMONENE Limonene (5989-27-5)	
EC50 - Crustacea [2]	0.51 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.32 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.214 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)

### 12.2. Persistence and degradability

G9 Surface Disinfectant	
Persistence and degradability	Rapidly degradable
Alcohols, C9-11, ethoxylated (68439-46-3)	
Persistence and degradability	Not rapidly degradable
didecyldimethylammonium chloride (7173-51-5)	
Persistence and degradability	Not rapidly degradable
PROPAN-2-OL (67-63-0)	
Persistence and degradability	Not rapidly degradable
Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate (51981-21-6)	
Persistence and degradability	Not rapidly degradable
Alkyl (C12-C16) dimethylbenzylammonium chloride (68424-85-1)	
Persistence and degradability	Rapidly degradable
Chemical oxygen demand (COD)	1130 g O <sub>2</sub> /g substance
Biodegradation	90 %
N-(3-aminopropyl)-n-dodecylpropane-1, 3 diamine (2372-82-9)	
Persistence and degradability	Rapidly degradable
CITRUS AURANTIUM DULCIS (8028-48-6)	
Persistence and degradability	Not rapidly degradable
D-LIMONENE Limonene (5989-27-5)	
Persistence and degradability	Not rapidly degradable

### 12.3. Bioaccumulative potential

Alkyl (C12-C16) dimethylbenzylammonium chloride (68424-85-1)	
BCF - Fish [1]	79
Partition coefficient n-octanol/water (Log Kow)	2.88

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

# G9 Surface Disinfectant

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods

HP Code

: Dispose of contents/container in accordance with licensed collector's sorting instructions.






: HP5 - "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.

HP8 - "Corrosive:" waste which on application can cause skin corrosion.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
UN 1903	UN 1903	UN 1903	UN 1903	UN 1903
<b>14.2. UN proper shipping name</b>				
DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N-(3-aminopropyl)-n-dodecylpropane-1, 3 diamine)	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N-(3-aminopropyl)-n-dodecylpropane-1, 3 diamine)	Disinfectant, liquid, corrosive, n.o.s. (N-(3-aminopropyl)-n-dodecylpropane-1, 3 diamine)	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N-(3-aminopropyl)-n-dodecylpropane-1, 3 diamine)	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N-(3-aminopropyl)-n-dodecylpropane-1, 3 diamine)
<b>Transport document description</b>				
UN 1903 DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N-(3-aminopropyl)-n-dodecylpropane-1, 3 diamine), 8, III, (E), ENVIRONMENTALLY HAZARDOUS	UN 1903 DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N-(3-aminopropyl)-n-dodecylpropane-1, 3 diamine), 8, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	UN 1903 Disinfectant, liquid, corrosive, n.o.s. (N-(3-aminopropyl)-n-dodecylpropane-1, 3 diamine), 8, III, ENVIRONMENTALLY HAZARDOUS	UN 1903 DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N-(3-aminopropyl)-n-dodecylpropane-1, 3 diamine), 8, III, ENVIRONMENTALLY HAZARDOUS	UN 1903 DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N-(3-aminopropyl)-n-dodecylpropane-1, 3 diamine), 8, III, ENVIRONMENTALLY HAZARDOUS
<b>14.3. Transport hazard class(es)</b>				
8	8	8	8	8
				
<b>14.4. Packing group</b>				
III	III	III	III	III
<b>14.5. Environmental hazards</b>				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes EmS-No. (Fire): F-A EmS-No. (Spillage): S-B	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information available				

# G9 Surface Disinfectant


## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR)	: C9
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Hazard identification number (Kemler No.)	: 80
Orange plates	:



Tunnel restriction code (ADR)	: E
EAC code	: 2X

#### Transport by sea

Special provisions (IMDG)	: 223, 274
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: A wide variety of corrosive liquids. Causes burns to skin, eyes and mucous membranes.

#### Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y841
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 852
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 856
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3, A803
ERG code (IATA)	: 8L

#### Inland waterway transport

Classification code (ADN)	: C9
Special provisions (ADN)	: 274
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0

#### Rail transport

Classification code (RID)	: C9
Special provisions (RID)	: 274
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19
Tank codes for RID tanks (RID)	: L4BN
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 80

# G9 Surface Disinfectant

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals):  
Didecyldimethylammonium chloride (7173-51-5)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

##### Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

##### Detergent Regulation (648/2004)

Contains no ingredient(s) required to be listed according to the Detergent Regulation (648/2004).

##### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

##### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

#### Indication of changes:

Composition/information on ingredients.

#### Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)

# G9 Surface Disinfectant

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

### Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. Expert judgement and weight of evidence determination.

### Training advice

: Normal use of this product shall imply use in accordance with the instructions on the packaging. Use biocides safely. Always read the label and product information before use.

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1

# G9 Surface Disinfectant

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains CITRUS AURANTIUM DULCIS Perfume (8028-48-6), D-LIMONENE Limonene (5989-27-5). May produce an allergic reaction.

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.