

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 3/13/2025 Revision date: 6/2/2025 Supersedes version of: 3/13/2025 Version: 3.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture Trade name : Hand Gel

UFI : XP00-D0EG-D003-WW51

Product code : G9 Hand Gel

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

: Professional use Main use category Use of the substance/mixture : Biocide Function or use category : Biocidal product

## 1.3. Details of the supplier of the safety data sheet

Manufacturer ΕU

G9 Chemicals Ltd Yordas GmbH

24 High Street AuBere Nurnberger Strasse. 62

Charing Ashford, Kent, TN27 0HX 91301 Forchheim

United Kingdom Germany

T +44 (0)1580 895141 T +49(0)9191 9504233 info@g9chemicals.co.uk, www.g9chemicls.co.uk info@yordasgroup.com

### 1.4. Emergency telephone number

Emergency number : +44 (0)1580 895141

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 H225 Serious eye damage/eye irritation, Category 2 H319

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP) Danger

: H225 - Highly flammable liquid and vapour. Hazard statements (CLP)

H319 - Causes serious eye irritation.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

Extra phrases

Store in a well-ventilated place. Keep container tightly closed. If medical advice is needed, have product container or label at hand.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Name	Product identifier		Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol substance with national workplace exposure limit(s) (GB)	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5	≥ 50	Flam. Liq. 2, H225 Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek

medical advice.

First-aid measures after skin contact : Not applicable.

In case of contact with eyes, rinse immediately with plenty of water and seek medical First-aid measures after eye contact

First-aid measures after ingestion : Do not induce vomiting because of corrosive effects. Drink plenty of water. Get medical

advice/attention.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Inhalation may cause irritation (cough, short breathing, difficulty in breathing). Depression of

the central nervous system, headaches, dizziness, drowsiness, loss of coordination.

Symptoms/effects after skin contact : None under normal conditions. Symptoms/effects after eye contact Causes serious eye irritation.

Symptoms/effects after ingestion : May cause irritation to the digestive tract.

### 4.3. Indication of any immediate medical attention and special treatment needed

When in doubt or if symptoms are observed, get medical advice.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

: carbon dioxide (CO2), powder, alcohol-resistant foam, water spray. Suitable extinguishing media

Unsuitable extinguishing media : Do not use a heavy water stream.

6/2/2025 (Revision date) GB - en 2/10

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour. Vapours may cause fire/explosion if source of ignition is

present

Explosion hazard : Explosive vapour/air mixtures may be formed.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting

Precautionary measures fire : Avoid contact with skin and eyes. Eliminate all ignition sources if safe to do so. Keep

container tightly closed and away from heat, sparks and flame. Stop leak if safe to do so.

material to collect it. For further information refer to section 8: "Exposure controls/personal

Firefighting instructions : Cool laterally with water containers exposed to flames, even after the fire is extinguished.

Do not enter fire area without proper protective equipment, including respiratory protection.

: Use self-contained breathing apparatus and chemically protective clothing.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate area. Eliminate every possible source of ignition. Stop leak if safe to do so. Avoid contact with skin and eyes. Clean up any spills as soon as possible, using an absorbent

protection".

#### 6.2. Environmental precautions

Contain the spilled material by bunding. Do not allow to enter drains or water courses.

## 6.3. Methods and material for containment and cleaning up

For containment : Contain the spilled material by bunding. Absorb and/or contain spill with inert material (sand,

vermiculite or other appropriate material), then place in suitable container.

Methods for cleaning up : No flames, no sparks. Eliminate all sources of ignition. Clean up immediately by sweeping

or vacuum. Use only non-sparking tools.

#### 6.4. Reference to other sections

For further information refer to section 13.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable. In use, may

form flammable vapour-air mixture. Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.

Precautions for safe handling : Avoid contact with eyes. Do not eat, drink or smoke when using this product. Eliminate all

ignition sources if safe to do so.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ensure adequate ventilation, especially in confined areas. Keep away from sources of

ignition. Keep in a cool, well-ventilated place away from heat.

Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Keep cool.

## 7.3. Specific end use(s)

Disinfectant.

6/2/2025 (Revision date) GB - en 3/10

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### National occupational exposure and biological limit values

Ethanol (64-17-5)	
United Kingdom - Occupational Exposure Limits	
Local name	Ethanol
WEL TWA (OEL TWA)	1920 mg/m³
	1000 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

## 8.2. Exposure controls

#### **Appropriate engineering controls**

#### Appropriate engineering controls:

Ensure adequate ventilation, especially in confined areas. Keep in a cool place.

#### Personal protection equipment

#### Personal protective equipment:

Safety glasses.

#### Personal protective equipment symbol(s):



#### Eye and face protection

## Eye protection:

Safety glasses

#### **Skin protection**

## Skin and body protection:

Not applicable

### Hand protection:

Not applicable.

#### **Respiratory protection**

#### Respiratory protection:

No respiratory protection needed under normal use conditions

## Thermal hazards

## Thermal hazard protection:

Keep cool.

## **Environmental exposure controls**

### **Environmental exposure controls:**

Avoid release to the environment.

## Consumer exposure controls:

Avoid contact during pregnancy/while nursing.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : pink.
Appearance : Liquid.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Odour : Alcoholic. Odour threshold : Not available Melting point : Not available Freezing point Not available Boiling point 82 °C Flammability Not available Lower explosion limit Not available Upper explosion limit : Not available Flash point : 22.7 °C Auto-ignition temperature : Not available Decomposition temperature : Not available : 6 - 8 рΗ pH solution concentration : 100 % : Not available Viscosity, kinematic

Solubility : In water, material soluble.

Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density : 0.88 – 0.9 Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Flammable liquid and vapour. Heating may cause a fire or explosion.

## 10.2. Chemical stability

Stable under normal conditions of use. Flammable liquid and vapour.

## 10.3. Possibility of hazardous reactions

Heating may cause a fire or explosion.

## 10.4. Conditions to avoid

Heat and ignition sources.

## 10.5. Incompatible materials

Not applicable.

### 10.6. Hazardous decomposition products

May liberate toxic gases.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

## Ethanol (64-17-5)

LD50 oral rat 15010 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 401

(Acute Oral Toxicity), 95% CL: 14450 - 15560

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ethanol (64-17-5)		
LD50 oral		8300 mg/kg bodyweight Animal: mouse
Skin corrosion/irritation	:	Not classified pH: 6 – 8
Serious eye damage/irritation	:	Causes serious eye irritation. pH: 6 – 8
Respiratory or skin sensitisation	:	Not classified
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Not classified
Reproductive toxicity	:	Not classified
STOT-single exposure	:	Not classified
STOT-repeated exposure	:	Not classified
Ethanol (64-17-5)		
NOAEL (subchronic, oral, animal/male, 90 days)		< 9700 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
NOAEL (subchronic, oral, animal/female, 90 days)		> 9400 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)

: Not classified

#### 11.2. Information on other hazards

No additional information available

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Aspiration hazard

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

Ethanol (64-17-5)	
LC50 - Fish [1]	14.2 g/l Test organisms (species): Pimephales promelas
NOEC (chronic)	9.6 mg/l Test organisms (species): Daphnia magna Duration: '9 d'

## 12.2. Persistence and degradability

Hand Gel	
Persistence and degradability	Rapidly degradable
Ethanol (64-17-5)	
Persistence and degradability	Rapidly degradable

## 12.3. Bioaccumulative potential

No additional information available

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

6/2/2025 (Revision date) GB - en 6/10

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 12.7. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Regional waste regulation

HP Code

- : Disposal must be done according to official regulations. Do not discharge into drains or rivers.
- : HP3 "Flammable:"
  - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
  - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
  - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
  - flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
  - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
  - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID		
14.1. UN number or ID n	14.1. UN number or ID number					
UN 1170	UN 1170	UN 1170	UN 1170	UN 1170		
14.2. UN proper shippin	g name					
ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	Ethanol solution	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)		
Transport document descr	iption					
UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II, (D/E)	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II	UN 1170 Ethanol solution, 3, II	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II		
14.3. Transport hazard	class(es)					
3	3	3	3	3		
3	3	3	3	3		
14.4. Packing group						
II	II	II	II	II		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No EmS-No. (Fire): F-E EmS-No. (Spillage): S-D	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

## 14.6. Special precautions for user

## **Overland transport**

Classification code (ADR) : F1
Special provisions (ADR) : 144, 601
Limited quantities (ADR) : 11
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1

(ADR)

Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 2
Special provisions for carriage - Operation (ADR) : S2, S20

Hazard identification number (Kemler No.) : 33
Orange plates :

33 1170

Tunnel restriction code (ADR) : D/E EAC code : •2YE

## Transport by sea

Special provisions (IMDG) : 144 Limited quantities (IMDG) : 1L Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P001 : IBC02 IBC packing instructions (IMDG) Tank instructions (IMDG) : T4 : TP1 Tank special provisions (IMDG) Stowage category (IMDG) : A

Properties and observations (IMDG) : Colourless, volatile liquids. Pure ETHANOL: flashpoint 13°C c.c. Explosive limits: 3.3% to

19%. Miscible with water.

## Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y341
PCA limited quantity max net quantity (IATA) : 1L
PCA packing instructions (IATA) : 353
PCA max net quantity (IATA) : 5L
CAO packing instructions (IATA) : 364
CAO max net quantity (IATA) : 60L

Special provisions (IATA) : A3, A58, A180

ERG code (IATA) : 3L

## **Inland waterway transport**

Classification code (ADN) : F1
Special provisions (ADN) : 144, 601
Limited quantities (ADN) : 1 L

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Excepted quantities (ADN) : E2

Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01

Number of blue cones/lights (ADN) : 1

#### Rail transport

Classification code (RID) : F1
Special provisions (RID) : 144, 601
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1

(RID)

Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE7
Hazard identification number (RID) : 33

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU-Regulations**

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

## **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

## **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

## **Dual-Use Regulation (428/2009)**

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

## **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### **Drug Precursors Regulation (273/2004)**

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

## 15.2. Chemical safety assessment

No additional information available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 16: Other information**

Data sources

: Supplier's safety documents. Expert judgement and weight of evidence determination.

Full text of H- and EUF	Full text of H- and EUH-statements:		
Eye Irrit. 2 Serious eye damage/eye irritation, Category 2			
Flam. Liq. 2	Flammable liquids, Category 2		
H225	Highly flammable liquid and vapour.		
H319 Causes serious eye irritation.			

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.