

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 9/9/2024 Revision date: 9/25/2024 Supersedes version of: 9/10/2024 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : G9 Surface Disinfectant Berry UFI : T200-U0CW-6003-QQPV

Type of product : Detergent, Biocidal products (e.g. Disinfectants, pest control)

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only

Use of the substance/mixture : Disinfectant

Cleaning/washing agents and additives
: Cleaning/washing agents and additives

1.2.2. Uses advised against

Function or use category

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer EU

G9 Chemicals Ltd Yordas GmbH

24 High Street AuBere Nurnberger Strasse. 62

Charing Ashford, Kent, TN27 0HX 91301 Forchheim

United Kingdom Germany

T +44 (0)1580 895141 T +49(0)9191 9504233 info@g9chemicals.co.uk, www.g9chemicls.co.uk info@yordasgroup.com

1.4. Emergency telephone number

Emergency number : +44 (0)1580 895141

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1 H314
Serious eye damage/eye irritation, Category 1 H318
Hazardous to the aquatic environment – Acute Hazard, H400

Category 1

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

May cause damage to organs through prolonged or repeated exposure. Causes severe skin burns and eye damage. Causes serious eye damage. Very toxic to aquatic life with long lasting effects.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS05

GHS09

Signal word (CLP)

Contains

: Danger

Hazard statements (CLP)

: didecyldimethylammonium chloride; N-(3-aminopropyl)-n-dodecylpropane-1, 3 diamine

: H314 - Causes severe skin burns and eye damage.

H400 - Very toxic to aquatic life.

Precautionary statements (CLP)

: P280 - Wear eye protection, protective clothing, protective gloves.

P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

Immediately call a doctor.

P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/shower. Immediately call a doctor.

P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor

P321 - Specific treatment (see supplemental first aid instruction on this label).

P391 - Collect spillage.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component

Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

BENZALKONIUM CHLORIDE (68424-85-1)

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
BENZALKONIUM CHLORIDE (Active substance (Biocide))	CAS-No.: 68424-85-1 EC-No.: 939-253-5	≥ 5 – < 15	Acute Tox. 4 (Oral), H302 (ATE=795 mg/kg bodyweight) STOT RE 2, H373 Aquatic Acute 1, H400 (M=10)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
N-(3-aminopropyl)-n-dodecylpropane-1, 3 diamine	CAS-No.: 2372-82-9 EC-No.: 219-145-8	≥1-<5	Acute Tox. 4 (Oral), H302 (ATE=261 mg/kg bodyweight) Acute Tox. 3 (Dermal), H311 (ATE=300 mg/kg bodyweight) Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT RE 2, H373 Aquatic Acute 1, H400 (M=10)
didecyldimethylammonium chloride	CAS-No.: 7173-51-5 EC-No.: 230-525-2 EC Index-No.: 612-131-00-6	≥1-<5	Acute Tox. 4 (Oral), H302 (ATE=658 mg/kg bodyweight) Skin Corr. 1B, H314
Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate	CAS-No.: 51981-21-6 EC-No.: 257-573-7	≥1-<5	Aquatic Chronic 3, H412
PROPAN-2-OL (Component) substance with national workplace exposure limit(s) (GB)	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0	≥ 0.1 – < 1	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a

physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

9/25/2024 (Revision date) GB - en 3/14

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Do not breathe fume, vapours. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Do not breathe fume, vapours. Avoid contact

with skin and eyes. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Keep locked up and out of the reach of children.

Incompatible products : Strong acids.

Incompatible materials : Aluminium. Copper alloys. Mild steel.

7.3. Specific end use(s)

DISINFECTANT, LIQUID, CORROSIVE, N.O.S.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

PROPAN-2-OL (67-63-0)		
United Kingdom - Occupational Exposure Limits		
WEL STEL (OEL STEL) 1250 mg/m³		
	500 ppm	
BENZALKONIUM CHLORIDE (68424-85-1)		
United Kingdom - Occupational Exposure Limits		
Local name	Benzalkonium Chloride	

8.1.2. Recommended monitoring procedures

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

Thermal hazard protection:

Keep cool.

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Not available Odour : Not available Odour threshold : Not available Melting point : Not applicable Freezing point : Not available : Not available Boiling point : Non flammable. Flammability Lower explosion limit : Not available : Not available Upper explosion limit Flash point : Not available Auto-ignition temperature : Not available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Decomposition temperature : Not available рΗ : > 10 - < 12 Viscosity, kinematic Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available : Not available Vapour pressure Vapour pressure at 50°C : Not available Density : Not available

Relative density : 1

Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Aluminium. Copper alloys. Mild steel.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

: Not classified Acute toxicity (oral) Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

didecyldimethylammonium chloride (7173-51-5)		
LD50 oral 658 mg/kg		
LD50 dermal rat	> 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))	
LD50 dermal rabbit	≈ 3342 mg/kg bodyweight Animal: rabbit, Guideline: other:, 95% CL: 0 - 4292	
LD50 dermal	> 5000 mg/kg	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Fixed Dose Procedure	200 tallig to the Next Negatition (EO) 1007/2000 allionade by Negatition (EO) 2020/070					
LOSO Inhalation - Rat 37.5 mg/l 4h, male and female Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate (51981-21-6) - 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.1 bis (Acute Oral Tox Fixed Dose Procedure) LD50 dermal rat - 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Derma Toxicity), Guideline: EU Method B.3 (Acute Toxicity) (Dermal), Guideline: EPA OPPT 870.1200 (Acute Derma Toxicity), Guideline: GECD Guideline 403 (Acute Inhalation Toxicity) BENZALKONIUM CHLORIDE (68424-85-1) LD50 dermal rabbit - 341.25 mg/kg bodyweight Animal: rat, Guideline: EPA OPPTS 870.1200 (Acute Inhalation Toxicity) BENZALKONIUM CHLORIDE (68424-85-1) LD50 dermal rabbit - 341.25 mg/kg bodyweight Animal: rabbit, Guideline: EPA OPPTS 870.1200 (Acute Infoxicity) N-(3-aminopropyl)-n-dodecylpropane-1, 3 diamine (2372-82-9) LD50 dermal rat - 260 mg/kg bodyweight Animal: rat, Guideline: EU Method B.3 (Acute Toxicity (Derma Inhalation Toxicity) Skin corrosion/irritation - 2 causes severe skin bums. - pH: > 10 - < 12 PROPAN-2-OL (67-63-0) pH - 7 Neutral BENZALKONIUM CHLORIDE (68424-85-1) pH - 8 - 9 Sericus eye damage/irritation - Causes serious eye damage. - pH: > 10 - < 12 PROPAN-2-OL (67-63-0) pH - 7 Neutral BENZALKONIUM CHLORIDE (68424-85-1) pH - 8 - 9 Respiratory or skin sensitisation - Not classified - Carcinogenicity - Not classified - Carcinogenicity - Not classified - Reproductive toxicity - Not classified - Reproductive toxicity - Not classified - PROPAN-2-OL (67-63-0) - STOT-single exposure - Not classified - PROPAN-2-OL (67-63-0) - NOAEL (oral, tat, 90 days) - 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose - NOAEL (oral, tat, 90 days) - 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose	PROPAN-2-OL (67-63-0)					
Tetrasodium N,N-bis(carboxylatomethyl)L-glutamate (51981-21-6) LD50 oral rat > 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.1 bis (Acute Oral Tox Fixed Dose Procedure) LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.1 bis (Acute Derma Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermall)), Guideline: EPA OPPT 870.1200 (Acute Dermal Toxicity), Guideline: OECD Guideline 402 (Acute Derma Toxicity), Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) LD50 Inhalation - Rat > 4.2 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) BENZALKONIUM CHLORIDE (68424-85-1) LD50 dermal rabbit 3412.5 mg/kg bodyweight Animal: rabbit, Guideline: EPA OPPTS 870.1200 (Acute Droxicity) N-(3-aminopropyl)-n-dodecylpropane-1, 3 diamine (2372-82-9) LD50 dermal rat > 600 mg/kg bodyweight Animal: rat, Guideline: EU Method B.3 (Acute Toxicity (Dern Skin corrosion/irritation : Causes severe skin burns. pH:> 10 - < 12 PROPAN-2-OL (67-63-0) pH 7 Neutral 6 - 9 Serious eye damage/irritation : Causes serious eye damage. pH:> 10 - < 12 PROPAN-2-OL (67-63-0) pH 7 Neutral 6 - 9 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Serious eye genome : Not classified PROPAN-2-OL (67-63-0) : Not classified : Not classified PROPAN-2-OL (67-63-0) : Not classified : Not classif	LD50 oral rat	5840 mg/kg				
LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.1 bis (Acute Oral Tox Fixed Dose Procedure)	LC50 Inhalation - Rat	37.5 mg/l 4h, male and female				
Fixed Dose Procedure	Tetrasodium N,N-bis(carboxylatomethyl)-L-g	Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate (51981-21-6)				
Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermall)), Guideline: EPA OPPT 870.1200 (Acute Dermal Toxicity), Guideline: other: LC50 Inhalation - Rat PS mg/kg LD50 oral rat LD50 oral rat LD50 dermal rabbit A12.5 mg/kg bodyweight Animal: rabbit, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity) N-(3-aminopropyl)-n-dodecylpropane-1, 3 diamine (2372-82-9) LD50 oral rat 261 mg/kg LD50 dermal rabbit Skin corrosion/irritation Causes severe skin burns. pH: > 10 - < 12 PROPAN-2-OL (67-63-0) pH 7 Neutral BENZALKONIUM CHLORIDE (68424-85-1) pH 6 - 9 Serious eye damage/irritation Causes serious eye damage. pH: > 10 - < 12 PROPAN-2-OL (67-63-0) pH 7 Neutral BENZALKONIUM CHLORIDE (68424-85-1) pH 6 - 9 Serious eye damage/irritation Causes serious eye damage. pH: > 10 - < 12 PROPAN-2-OL (67-63-0) pH 7 Neutral BENZALKONIUM CHLORIDE (68424-85-1) pH 6 - 9 Respiratory or skin sensitisation Not classified Germ cell mutagenicity Not classified Germ cell mutagenicity Not classified PROPAN-2-OL (67-63-0) STOT-single exposure May cause drowsiness or dizziness. STOT-single exposure Not classified Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate (51881-21-6) NOAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose	LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Procedure)				
BENZALKONIUM CHLORIDE (68424-85-1) LD50 oral rat LD50 dermal rabbit A12.5 mg/kg bodyweight Animal: rabbit, Guideline: EPA OPPTS 870.1200 (Acute D Toxicity) N-(3-aminopropyl)-n-dodecylpropane-1, 3 diamine (2372-82-9) LD50 oral rat 261 mg/kg LD50 dermal rat 262 mg/kg 261 mg/kg 262 mg/kg 262 mg/kg 263 mg/kg 263 mg/kg 264 mg/kg	LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity), Guideline: other:				
LD50 oral rat LD50 dermal rabbit 3412.5 mg/kg bodyweight Animal: rabbit, Guideline: EPA OPPTS 870.1200 (Acute D Toxicity) N-(3-aminopropyl)-n-dodecylpropane-1, 3 diamine (2372-82-9) LD50 oral rat 261 mg/kg LD50 dermal rat > 600 mg/kg bodyweight Animal: rat, Guideline: EU Method B.3 (Acute Toxicity (Derr Skin corrosion/irritation : Causes severe skin burns. pH: > 10 - < 12 PROPAN-2-OL (67-63-0) pH 7 Neutral BENZALKONIUM CHLORIDE (68424-85-1) pH 6 - 9 Serious eye damage/irritation : Causes serious eye damage. pH: > 10 - < 12 PROPAN-2-OL (67-63-0) pH 7 Neutral BENZALKONIUM CHLORIDE (68424-85-1) pH 8 - 9 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure May cause drowsiness or dizziness. STOT-repeated exposure Not classified Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate (51981-21-6) NOAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: EPA OPPTS 870.1200 (Acute D Toxicity) Autocicly 3412.5 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose	LC50 Inhalation - Rat	> 4.2 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)				
LD50 dermal rabbit 3412.5 mg/kg bodyweight Animal: rabbit, Guideline: EPA OPPTS 870.1200 (Acute D Toxicity) N-(3-aminopropyl)-n-dodecylpropane-1, 3 diamine (2372-82-9) LD50 oral rat 261 mg/kg LD50 dermal rat > 600 mg/kg bodyweight Animal: rat, Guideline: EU Method B.3 (Acute Toxicity (Dermosinon/Irritation) : Causes severe skin burns. pH: > 10 - < 12 PROPAN-2-OL (67-63-0) pH 7 Neutral BENZALKONIUM CHLORIDE (68424-85-1) pH 8 - 9 Serious eye damage/irritation : Causes serious eye damage. pH: > 10 - < 12 PROPAN-2-OL (67-63-0) pH 7 Neutral BENZALKONIUM CHLORIDE (68424-85-1) pH 8 - 9 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Carcinogenicity : Not classified STOT-single exposure May cause drowsiness or dizziness. STOT-repeated exposure Not classified Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate (51981-21-6) NOAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: EPA OPPTS 870.1200 (Acute Documents) Advanced PROPAN-2-OL (GCD Guideline 408 (Repeated Dose	BENZALKONIUM CHLORIDE (68424-85-1)					
N-(3-aminopropyl)-n-dodecylpropane-1, 3 diamine (2372-82-9) LD50 oral rat 261 mg/kg LD50 dermal rat > 600 mg/kg bodyweight Animal: rat, Guideline: EU Method B.3 (Acute Toxicity (Dermal Skin corrosion/irritation : Causes severe skin burns. pH: > 10 - < 12 PROPAN-2-OL (67-63-0) pH 7 Neutral BENZALKONIUM CHLORIDE (68424-85-1) pH 6-9 Serious eye damage/irritation : Causes serious eye damage. pH: > 10 - < 12 PROPAN-2-OL (67-63-0) pH 7 Neutral BENZALKONIUM CHLORIDE (68424-85-1) pH 6-9 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified STOT-single exposure : Not classified PROPAN-2-OL (67-63-0) STOT-single exposure	LD50 oral rat	795 mg/kg				
LD50 oral rat LD50 dermal rat > 600 mg/kg bodyweight Animal: rat, Guideline: EU Method B.3 (Acute Toxicity (Dern Skin corrosion/irritation : Causes severe skin burns. pH: > 10 - < 12 PROPAN-2-OL (67-63-0) pH 7 Neutral BENZALKONIUM CHLORIDE (68424-85-1) pH 6 - 9 Serious eye damage/irritation : Causes serious eye damage. pH: > 10 - < 12 PROPAN-2-OL (67-63-0) pH 7 Neutral BENZALKONIUM CHLORIDE (68424-85-1) pH 7 Neutral BENZALKONIUM CHLORIDE (68424-85-1) pH 6 - 9 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Seproductive toxicity : Not classified STOT-single exposure May cause drowsiness or dizziness. STOT-repeated exposure : Not classified Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate (51981-21-6) NOAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose	LD50 dermal rabbit	3412.5 mg/kg bodyweight Animal: rabbit, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity)				
Description	N-(3-aminopropyl)-n-dodecylpropane-1, 3 dia	mine (2372-82-9)				
Skin corrosion/irritation : Causes severe skin burns. pH: > 10 - < 12 PROPAN-2-OL (67-63-0) pH 7 Neutral BENZALKONIUM CHLORIDE (68424-85-1) pH 6 - 9 Serious eye damage/irritation : Causes serious eye damage. pH: > 10 - < 12 PROPAN-2-OL (67-63-0) pH 7 Neutral BENZALKONIUM CHLORIDE (68424-85-1) pH 6 - 9 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Carcinogenicity : Not classified STOT-single exposure : Not classified PROPAN-2-OL (67-63-0) STOT-single exposure May cause drowsiness or dizziness. STOT-repeated exposure : Not classified Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate (51981-21-6) NOAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose	LD50 oral rat	261 mg/kg				
PROPAN-2-OL (67-63-0) pH 7 Neutral BENZALKONIUM CHLORIDE (68424-85-1) pH 6 - 9 Serious eye damage/irritation : Causes serious eye damage.	LD50 dermal rat	> 600 mg/kg bodyweight Animal: rat, Guideline: EU Method B.3 (Acute Toxicity (Dermal))				
BENZALKONIUM CHLORIDE (68424-85-1) pH	Skin corrosion/irritation :					
BENZALKONIUM CHLORIDE (68424-85-1) pH	PROPAN-2-OL (67-63-0)					
pH 6 − 9 Serious eye damage/irritation : Causes serious eye damage. pH: > 10 − < 12 PROPAN-2-OL (67-63-0) pH 7 Neutral BENZALKONIUM CHLORIDE (68424-85-1) pH 6 − 9 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified PROPAN-2-OL (67-63-0) STOT-single exposure : Not classified Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate (51981-21-6) NOAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose	рН	7 Neutral				
Serious eye damage/irritation : Causes serious eye damage. pH: > 10 - < 12 PROPAN-2-OL (67-63-0) pH 7 Neutral BENZALKONIUM CHLORIDE (68424-85-1) pH 6 - 9 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified PROPAN-2-OL (67-63-0) STOT-single exposure : Not classified Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate (51981-21-6) NOAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose	BENZALKONIUM CHLORIDE (68424-85-1)					
PROPAN-2-OL (67-63-0) pH 7 Neutral BENZALKONIUM CHLORIDE (68424-85-1) pH 6 - 9 Respiratory or skin sensitisation : Not classified Gern cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified PROPAN-2-OL (67-63-0) STOT-single exposure : May cause drowsiness or dizziness. STOT-repeated exposure : Not classified Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate (51981-21-6) NOAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose	рН	6 – 9				
pH 7 Neutral BENZALKONIUM CHLORIDE (68424-85-1) pH 6 - 9 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified PROPAN-2-OL (67-63-0) STOT-single exposure : May cause drowsiness or dizziness. STOT-repeated exposure : Not classified Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate (51981-21-6) NOAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose	Serious eye damage/irritation :	· · · · · · · · · · · · · · · · · · ·				
BENZALKONIUM CHLORIDE (68424-85-1) pH 6 - 9 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified PROPAN-2-OL (67-63-0) STOT-single exposure May cause drowsiness or dizziness. STOT-repeated exposure : Not classified Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate (51981-21-6) NOAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose	PROPAN-2-OL (67-63-0)					
PH 6 – 9 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified PROPAN-2-OL (67-63-0) STOT-single exposure	рН	7 Neutral				
Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified PROPAN-2-OL (67-63-0) STOT-single exposure May cause drowsiness or dizziness. STOT-repeated exposure : Not classified Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate (51981-21-6) NOAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose	BENZALKONIUM CHLORIDE (68424-85-1)					
Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified PROPAN-2-OL (67-63-0) STOT-single exposure	рН	6 – 9				
Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified PROPAN-2-OL (67-63-0) STOT-single exposure May cause drowsiness or dizziness. STOT-repeated exposure : Not classified Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate (51981-21-6) NOAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose	Respiratory or skin sensitisation :					
Reproductive toxicity : Not classified STOT-single exposure : Not classified PROPAN-2-OL (67-63-0) STOT-single exposure May cause drowsiness or dizziness. STOT-repeated exposure : Not classified Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate (51981-21-6) NOAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose	• •					
STOT-single exposure : Not classified PROPAN-2-OL (67-63-0) STOT-single exposure						
PROPAN-2-OL (67-63-0) STOT-single exposure May cause drowsiness or dizziness. STOT-repeated exposure : Not classified Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate (51981-21-6) NOAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose						
STOT-single exposure May cause drowsiness or dizziness. STOT-repeated exposure : Not classified Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate (51981-21-6) NOAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose						
STOT-repeated exposure : Not classified Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate (51981-21-6) NOAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose	STOT-single exposure	May cause drowsiness or dizziness.				
Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate (51981-21-6) NOAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose						
	NOAEL (oral, rat, 90 days)	300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents), Guideline: other:				

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

BENZALKONIUM CHLORIDE (68424-85-1)				
NOAEL (subchronic, oral, animal/male, 90 days)	50 mg/kg bodyweight Animal: dog, Animal sex: male, Guideline: OECD Guideline 409 (Repeated Dose 90-Day Oral Toxicity Study in Non-Rodents)			
NOAEL (subchronic, oral, animal/female, 90 days)	45 mg/kg bodyweight Animal: dog, Animal sex: female, Guideline: OECD Guideline 409 (Repeated Dose 90-Day Oral Toxicity Study in Non-Rodents)			
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.			
N-(3-aminopropyl)-n-dodecylpropane-1, 3 diamine (2372-82-9)				
LOAEL (dermal, rat/rabbit, 90 days)	5 mg/kg bodyweight Animal: rat, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days)			
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.			
Aspiration hazard : Not classified				
didecyldimethylammonium chloride (7173-51-5)				
Viscosity, kinematic	≈ 24.5 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'			
BENZALKONIUM CHLORIDE (68424-85-1)				
Viscosity, kinematic	52 – 74 mm²/s At 40C			

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term

(acute)

: Very toxic to aquatic life.

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

(GIIIOIIIC)			
didecyldimethylammonium chloride (7173-51-5)			
LC50 - Fish [1]	≈ 0.97 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)		
LC50 - Fish [2]	≈ 0.49 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)		
EC50 - Crustacea [1]	≈ 0.057 mg/l Test organisms (species): Daphnia magna		
EC50 - Crustacea [2]	≈ 0.029 mg/l Test organisms (species): Daphnia magna		
EC50 72h - Algae [1]	≈ 0.062 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)		
LOEC (chronic)	≈ 0.047 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC (chronic)	≈ 0.021 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
PROPAN-2-OL (67-63-0)			
LC50 - Fish [1]	9640 mg/l fathered minnow		
C50 - Crustacea [1] 13299 mg/l Daphnia magna			
Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate (51981-21-6)			
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)		
LC50 - Fish [2]	> 95.26 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)		

9/25/2024 (Revision date) GB - en 8/14

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate (51981-21-6)			
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna		
EC50 - Crustacea [2]	> 95.26 mg/l Test organisms (species): Daphnia magna		
LOEC (chronic)	> 265.7 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC (chronic)	224 mg/l Test organisms (species): other aquatic crustacea: Duration: '21 d'		
BENZALKONIUM CHLORIDE (68424-85-1)			
LC50 - Fish [1]	0.515 mg/l Test organisms (species): Lepomis macrochirus		
LC50 - Fish [2]	0.85 mg/l rainbow trout		
EC50 - Crustacea [1]	0.016 mg/l Test organisms (species): Daphnia magna		
EC50 72h - Algae [1]	0.02 mg/l		
EC50 96h - Algae [2]	0.03 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)		
N-(3-aminopropyl)-n-dodecylpropane-1, 3 diamine (2372-82-9)			
LC50 - Fish [1]	0.431 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)		
EC50 - Crustacea [1]	0.0775 mg/l Test organisms (species): Daphnia magna		
EC50 - Other aquatic organisms [1]	0.073 mg/l		
EC50 72h - Algae [1]	0.02 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)		
EC50 72h - Algae [2]	0.012 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)		
LOEC (chronic)	0.066 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC (chronic)	0.024 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		

12.2. Persistence and degradability

G9 Surface Disinfectant Berry			
Persistence and degradability	Rapidly degradable		
didecyldimethylammonium chloride (7173-51-	5)		
Persistence and degradability	Not rapidly degradable		
PROPAN-2-OL (67-63-0)			
Persistence and degradability	Not rapidly degradable		
Tetrasodium N,N-bis(carboxylatomethyl)-L-glu	utamate (51981-21-6)		
Persistence and degradability	Not rapidly degradable		
BENZALKONIUM CHLORIDE (68424-85-1)			
Persistence and degradability	Rapidly degradable		
Chemical oxygen demand (COD)	1130 g O₂/g substance		
Biodegradation	90 %		
N-(3-aminopropyl)-n-dodecylpropane-1, 3 diamine (2372-82-9)			
Persistence and degradability	Rapidly degradable		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.3. Bioaccumulative potential

BENZALKONIUM CHLORIDE (68424-85-1)		
BCF - Fish [1] 79		
Partition coefficient n-octanol/water (Log Kow)	2.88	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID			
14.1. UN number or ID n	14.1. UN number or ID number						
UN 1903	UN 1903	UN 1903	UN 1903	UN 1903			
14.2. UN proper shippin	g name						
DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N- (3-aminopropyl)-n- dodecylpropane-1, 3 diamine)	CORROSIVE, N.O.S. (N- (3-aminopropyl)-n- dodecylpropane-1, 3 dodecylpropane-1, 3 CORROSIVE, N.O.S. (N- (3-aminopropyl)-n- dodecylpropane-1, 3						
Transport document descr	iption						
UN 1903 DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N-(3-aminopropyl)- n-dodecylpropane-1, 3 diamine), 8, III, (E), ENVIRONMENTALLY HAZARDOUS UN 1903 DISINFECTANT, LIQUID, CORROSIVE, liquid, corrosive, n.o.s. (N- (3-aminopropyl)- n-dodecylpropane-1, 3 diamine), 8, III, AZARDOUS UN 1903 DISINFECTANT, LIQUID, CORROSIVE, liquid, corrosive, n.o.s. (N- (19-aminopropyl)- n-dodecylpropane-1, 3 diamine), 8, III, (E), ENVIRONMENTALLY HAZARDOUS UN 1903 DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N-(3-aminopropyl)- n-dodecylpropane-1, 3 diamine), 8, III, diamine), 8, III, ENVIRONMENTALLY HAZARDOUS 14.3. Transport hazard class(es)							
8	8	8	8	8			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
		8	8	8
14.4. Packing group				
III	III	III	III	III
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes Dangerous for the environment: Yes		Dangerous for the environment: Yes
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR) : C9
Special provisions (ADR) : 274
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Tank code (ADR) : L4BN
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Hazard identification number (Kemler No.) : 80

Orange plates :

80 1903

Tunnel restriction code (ADR) : E EAC code : 2X

Transport by sea

Special provisions (IMDG) : 223, 274 Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : P001, LP01 IBC packing instructions (IMDG) : IBC03 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-B Stowage category (IMDG) : A

Properties and observations (IMDG) : A wide variety of corrosive liquids. Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA) : E1 : Y841 PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) : 852 PCA max net quantity (IATA) : 5L CAO packing instructions (IATA) : 856 CAO max net quantity (IATA) : 60L Special provisions (IATA) : A3, A803 ERG code (IATA) : 8L

Inland waterway transport

Classification code (ADN) : C9

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions (ADN) : 274
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : C9
Special provisions (RID) : 274
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19
Tank codes for RID tanks (RID) : L4BN
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 80

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals):

Didecyldimethylammonium chloride (7173-51-5)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Detergent Regulation (648/2004)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes				
Section	Changed item	Change	Comments	
	Supersedes version of	Added		
	Revision date	Added		
1.1	Other means of identification	Added		

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapour.	
H302	Harmful if swallowed.	
H311	Toxic in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.